



# DS 102: Data, Inference, and Decisions

Lecture 18

Fernando Pérez


University of California, Berkeley

Slides thanks and credit:

Anca Dragan, Dan Klein, Pieter Abbeel,  
and the Berkeley CS188 team: [ai.berkeley.edu](http://ai.berkeley.edu).



# Example: Grid World

- A maze-like problem
  - The agent lives in a grid
  - Walls block the agent's path
- Noisy movement: actions do not always go as planned
  - 80% of the time, the action North takes the agent North (if there is no wall there)
  - 10% of the time, North takes the agent West; 10% East
  - If there is a wall in the direction the agent would have been taken, the agent stays put
- The agent receives rewards each time step
  - Small "living" reward each step (can be negative)
  - Big rewards come at the end (good or bad)
- Goal: maximize sum of rewards








# Grid World Actions

Deterministic Grid World




Stochastic Grid World



# Markov Decision Processes

- An MDP is defined by:
  - A **set of states**  $s \in S$
  - A **set of actions**  $a \in A$
  - A **transition function**  $T(s, a, s')$ 
    - Probability that  $a$  from  $s$  leads to  $s'$ , i.e.,  $P(s' | s, a)$
    - Also called the model or the dynamics
  - A **reward function**  $R(s, a, s')$ 
    - Sometimes just  $R(s)$  or  $R(s')$
  - A **start state**
  - Maybe a **terminal state**



# What is Markov about MDPs?

- “Markov” generally means that given the present state, the future and the past are independent
- For Markov decision processes, “Markov” means action outcomes depend only on the current state

$$P(S_{t+1} = s' | S_t = s_t, A_t = a_t, S_{t-1} = s_{t-1}, A_{t-1}, \dots, S_0 = s_0)$$

=

$$P(S_{t+1} = s' | S_t = s_t, A_t = a_t)$$


- This is just like search, where the successor function could only depend on the current state (not the history)



Andrey Markov  
(1856-1922)


# Policies

- In deterministic single-agent search problems, we want an optimal **plan**, or sequence of actions, from start to a goal
- For MDPs, we want an optimal **policy**  $\pi^*: S \rightarrow A$ 
  - A policy  $\pi$  gives an action for each state
  - An optimal policy is one that maximizes expected utility if followed
  - An explicit policy defines a reflex agent




Optimal policy when  $R(s, a, s') = -0.03$   
for all non-terminals  $s$



# Optimal Policies



$R(s) = -0.01$



$R(s) = -0.03$



# Discounting

- It's reasonable to maximize the sum of rewards
- It's also reasonable to prefer rewards now to rewards later
- One solution: values of rewards decay exponentially



1

Worth Now



$\gamma$

Worth Next Step




$\gamma^2$

Worth In Two Steps




# Discounting

- How to discount?
  - Each time we descend a level, we multiply in the discount once
- Why discount?
  - Think of it as a gamma chance of ending the process at every step
  - Also helps our algorithms converge
- Example: discount of 0.5
  - $U([1,2,3]) = 1*1 + 0.5*2 + 0.25*3$
  - $U([1,2,3]) < U([3,2,1])$



# Optimal Quantities

- The value (utility) of a state  $s$ :  
 $V^*(s)$  = expected utility starting in  $s$  and acting optimally
- The value (utility) of a q-state  $(s,a)$ :  
 $Q^*(s,a)$  = expected utility starting out having taken action  $a$  from state  $s$  and (thereafter) acting optimally
- The optimal policy:  
 $\pi^*(s)$  = optimal action from state  $s$




# Snapshot of Demo – Gridworld V Values



Noise = 0.2

# Snapshot of Demo – Gridworld Q Values



Noise = 0.2


# Values of States

- Recursive definition of value:


$$V^*(s) = \max_a Q^*(s, a)$$

$$Q^*(s, a) = \sum_{s'} T(s, a, s') [R(s, a, s') + \gamma V^*(s')]$$

$$V^*(s) = \max_a \sum_{s'} T(s, a, s') [R(s, a, s') + \gamma V^*(s')]$$



# The Bellman Equation



How to be optimal:

Step 1: Take correct first action

Step 2: Keep being optimal

# Q-Value Iteration

- Value iteration: find successive (depth-limited) values
  - Start with  $V_0(s) = 0$ , which we know is right
  - Given  $V_k$ , calculate the depth  $k+1$  values for all states:

$$V_{k+1}(s) \leftarrow \max_a \sum_{s'} T(s, a, s') [R(s, a, s') + \gamma V_k(s')]$$

- But Q-values are more useful, so compute them instead
  - Start with  $Q(s, a) = 0$ , which we know is right

- $Q_{k+1}(s, a) \leftarrow \sum_{s'} T(s, a, s') [R(s, a, s') + \gamma \max_{a'} Q_k(s', a')]$

# Q-Learning

- Q-Learning: sample-based Q-value iteration

$$Q_{k+1}(s, a) \leftarrow \sum_{s'} T(s, a, s') \left[ R(s, a, s') + \gamma \max_{a'} Q_k(s', a') \right]$$

- Learn  $Q(s,a)$  values as you go

- Receive a sample  $(s,a,s',r)$

- Consider your old estimate:


$Q(s, a)$

- Consider your new sample estimate:

$sample = R(s, a, s') + \gamma \max_{a'} Q(s', a')$  no longer policy evaluation!

- Incorporate the new estimate into a running average:

$$Q(s, a) \leftarrow (1 - \alpha)Q(s, a) + (\alpha) [sample]$$





# Video of Demo Q-Learning -- Gridworld

